

|      |      |    |              |     |
|------|------|----|--------------|-----|
| 38.7 | 35.2 | 33 | 52207-3417   | 34  |
| 34.7 | 31.2 | 29 | -3017        | 30  |
| 33.7 | 30.2 | 28 | -2917        | 29  |
| 32.7 | 29.2 | 27 | -2817        | 28  |
| 31.7 | 28.2 | 26 | -2717        | 27  |
| 30.7 | 27.2 | 25 | -2617        | 26  |
| 29.7 | 26.2 | 24 | -2517        | 25  |
| 28.7 | 25.2 | 23 | -2417        | 24  |
| 27.7 | 24.2 | 22 | -2317        | 23  |
| 26.7 | 23.2 | 21 | -2217        | 22  |
| 25.7 | 22.2 | 20 | -2117        | 21  |
| 24.7 | 21.2 | 19 | -2017        | 20  |
| 23.7 | 20.2 | 18 | -1917        | 19  |
| 22.7 | 19.2 | 17 | -1817        | 18  |
| 21.7 | 18.2 | 16 | -1717        | 17  |
| 20.7 | 17.2 | 15 | -1617        | 16  |
| 19.7 | 16.2 | 14 | -1517        | 15  |
| 18.7 | 15.2 | 13 | -1417        | 14  |
| 17.7 | 14.2 | 12 | -1317        | 13  |
| 16.7 | 13.2 | 11 | -1217        | 12  |
| 15.7 | 12.2 | 10 | -1117        | 11  |
| 14.7 | 11.2 | 9  | -1017        | 10  |
| 13.7 | 10.2 | 8  | -0917        | 9   |
| 12.7 | 9.2  | 7  | -0817        | 8   |
| 11.7 | 8.2  | 6  | -0717        | 7   |
| 10.7 | 7.2  | 5  | -0617        | 6   |
| 9.7  | 6.2  | 4  | -0517        | 5   |
| 8.7  | 5.2  | 3  | -0417        | 4   |
| 7.7  | 4.2  | 2  | 52207-0317   | 3   |
| C    | B    | A  | MATERIAL NO. | 極 寸 |

[illegible]

DWG. NO.  
SD-52207-\*\*-17

F

D

C

B

DO NOT SCALE DRAWING


|                                                                                    |                                  |                                  |                                  |                                  |
|------------------------------------------------------------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| EC NO.<br>DRWN:<br>CHK:<br>APPR:                                                   | EC NO.<br>DRWN:<br>CHK:<br>APPR: | EC NO.<br>DRWN:<br>CHK:<br>APPR: | EC NO.<br>DRWN:<br>CHK:<br>APPR: | EC NO.<br>DRWN:<br>CHK:<br>APPR: |
| EC NO. J2004-0390<br>DRWN: K. TOJO 08/8<br>CHK: H. Sato 08/8<br>APPR: H. Sato 08/8 |                                  |                                  |                                  |                                  |
|                                                                                    |                                  |                                  |                                  |                                  |

|                      |                   |                                                   |
|----------------------|-------------------|---------------------------------------------------|
| REDESCRIPTION        | MATERIAL<br>材料    | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差 |
| FINISH<br>仕上げ        | 注記参照<br>SEE NOTES | 10 UNDER<br>未満 ±0.2                               |
| WIRE RANGE<br>適用電線範囲 |                   | 10 OVER 30 UNDER<br>以上 未満 ±0.25                   |
| INS. RANGE<br>被覆外径   |                   | 30 OVER<br>以上 ±0.3                                |
| REV                  | ANGLE 角度          | ±3°                                               |


|                                                                                                                                |                                       |                                        |                           |
|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------------------|---------------------------|
| DRAWN BY & DATE<br>K. TOJO 03/08/19                                                                                            | CHECKED BY & DATE<br>H. Sato 03/08/19 | APPROVED BY & DATE<br>H. Sato 03/08/19 | CAD FILENAME<br>52207.S09 |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |                                       |                                        |                           |

|                                        |                         |                           |
|----------------------------------------|-------------------------|---------------------------|
| SCALE<br>//                            | DESIGN UNITS<br>mm INCH | THIRD ANGLE<br>PROJECTION |
| TITLE:<br>1.0mm Pitch FPC Conn ZIF SMT |                         |                           |

|                             |                               |                     |
|-----------------------------|-------------------------------|---------------------|
| MATERIAL NO.<br>52207-**-17 | DRAWING NO.<br>SD-52207-**-17 | SHEET NO.<br>2 OF 2 |
| MOLEX INCORPORATED          |                               |                     |
| EN-02J(097) MXJ-54          |                               |                     |






断面D-D  
SECT.D-D



下面図  
BOTTOM VIEW





|                                |      |     |     |      |     |      |       |            |            |
|--------------------------------|------|-----|-----|------|-----|------|-------|------------|------------|
| 32                             | 33.5 | 4.0 | 0.5 | 23.5 | 20  | 16.7 | 22.35 | 52207-1690 | 16         |
|                                |      | 4.2 | 0.6 | 22.5 | 19  | 15.7 | 21.35 | 4-1590     | 15         |
|                                |      | 4.2 | 0.6 | 21.5 | 18  | 14.7 | 20.35 | -1490      | 14         |
|                                |      | 4.2 | 0.6 | 20.5 | 17  | 13.7 | 19.35 | 7-1390     | 13         |
|                                |      | 4.2 | 0.6 | 19.5 | 16  | 12.7 | 18.35 | 52207-1290 | 12         |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | E    | (G) | (F) | (D)  | (C) | (B)  | (A)   | ENG. NO.   | 極数<br>CKT. |

|                                |      |      |     |      |       |            |            |
|--------------------------------|------|------|-----|------|-------|------------|------------|
| 44                             | 45.5 | 34.5 | 31  | 27.7 | 33.35 | 52207-2790 | 27         |
|                                |      | 33.5 | 30  | 26.7 | 32.35 | 4-2690     | 26         |
|                                |      | 32.5 | 29  | 25.7 | 31.35 | -2590      | 25         |
|                                |      | 31.5 | 28  | 24.7 | 30.35 | -2490      | 24         |
|                                |      | 30.5 | 27  | 23.7 | 29.35 | -2390      | 23         |
|                                |      | 29.5 | 26  | 22.7 | 28.35 | -2290      | 22         |
|                                |      | 28.5 | 25  | 21.7 | 27.35 | -2190      | 21         |
|                                |      | 27.5 | 24  | 20.7 | 26.35 | -2090      | 20         |
|                                |      | 26.5 | 23  | 19.7 | 25.35 | -1990      | 19         |
|                                |      | 25.5 | 22  | 18.7 | 24.35 | 7-1890     | 18         |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | E    | 24.5 | 21  | 17.7 | 23.35 | 52207-1790 | 17         |
|                                |      | (D)  | (C) | (B)  | (A)   | ENG. NO.   | 極数<br>CKT. |

|                            |  |                |  |                                              |  |             |  |                |  |                                                                   |  |
|----------------------------|--|----------------|--|----------------------------------------------|--|-------------|--|----------------|--|-------------------------------------------------------------------|--|
|                            |  |                |  |                                              |  |             |  | 材料<br>MATERIAL |  | 注記参照<br>SEE NOTES                                                 |  |
|                            |  |                |  |                                              |  |             |  |                |  |                                                                   |  |
|                            |  |                |  |                                              |  |             |  |                |  |                                                                   |  |
|                            |  |                |  |                                              |  |             |  |                |  |                                                                   |  |
|                            |  |                |  | U<br>変更<br>REVISED<br>(JC2001-0458)          |  | M<br>S      |  | 90°/12/15      |  | 仕上げ<br>FINISH<br>——#——                                            |  |
| 角度 ANGLE                   |  | ±3°            |  | T<br>変更<br>REVISED<br>(JC60614)              |  | M<br>H      |  | 96°/3/6        |  | 適用電線範囲<br>WIRE RANGE<br>——#——                                     |  |
| 30°以上<br>OVER              |  | ±0.5           |  | S<br>変更<br>REVISED<br>(J50055)               |  | M<br>H      |  | 95°/1/31       |  | 被覆外径<br>INS. RANGE<br>——#——                                       |  |
| 10°以上<br>OVER              |  | 30°未満<br>UNDER |  | R<br>変更<br>REVISED<br>(J30761)               |  | M<br>H      |  | 93°/7/30       |  |                                                                   |  |
| 10°未満<br>UNDER             |  | ±0.2           |  | P<br>変更、再作図<br>REVISED & REDRAWN<br>(J21168) |  | M<br>H      |  | 92°/12/14      |  | DRAWN BY 92°/12/14<br>Y.MIZUNO<br>CHK'D BY 90°/12/20<br>S.KUNISHI |  |
| 一般公差<br>GENERAL TOLERANCES |  | 記号<br>LTR      |  | 変更内容<br>REVISION RECORD                      |  | DR.<br>CHK. |  | 日付<br>DATE     |  | APP'D BY 90°/12/20<br>M.FUKUSHIMA<br>S.KUNISHI                    |  |
|                            |  |                |  |                                              |  |             |  |                |  | 尺<br>SCALE<br>——#——                                               |  |

|                                   |                                 |
|-----------------------------------|---------------------------------|
| 材料<br>MATERIAL                    | 注記参照<br>SEE NOTES               |
| 仕上げ<br>FINISH                     | —                               |
| 適用電線範囲<br>WIRE RANGE              | —                               |
| 被覆外径<br>INS. RANGE                | —                               |
| DRAWN BY '92/12/14<br>Y.MIZUNO    | CHK'D BY '00/12/20<br>S.KUNISHI |
| APP'D BY '00/12/20<br>M.FUKUSHIMA | 尺度<br>SCALE                     |

molex MOLEX-JAPAN CO.,LTD.  
日本モレックス株式会社

REVISE ONLY ON CAD SYSTEM

TITLE 名称

1.0 FPC Conn ZIF SMT  
With Tape Embstp Pkg

DWG. NO. SD-52207-\*\*-90  
(SHEET 2 OF 3)

